Hand Operated Curtain Track System

Silent Gliss® 3840W



3840W

Product Information

- For use with Wave Standard and Wave XL curtain heading systems
- Purpose designed for ceiling fixing - neat attractive track
- Ideal for contract or domestic use
- Same appearance from both sides
- Standard length 6m, can be joined
- Standard colours: silver, white, gold, antique bronze, black
- For medium weight curtains
- Can be bent

www.shadingspecialists.co.uk

Shading Specialists
Unit 23
Orbital 25
Dwight Road
Watford
WD18 9DA
020 8421 6605
info@shadingspecialists.co.uk

Profile, Bending and Specification Information



3841

Standard radius 200mm
Wave XL: Min. radius 500mm

Note: It is important to observe the minimum bending radius for Wave XL. The system will not function with a smaller radius.

Specification Guide - download from www.silentgliss.co.uk (password required).
Silent Gliss 3840W curtain track, hand drawn, anodised aluminium, assembled complete with wave glider-cord 6345/6346. Top fix with special fixing clamp 3825/special fixing bracket 3832 at max 600mm. centres each screwed to timber/plugged and screwed to block/concrete. ..... Lm.

How To Measure

Stack depth Wave Standard





a = Stack depth
b = Stack size
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11

Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).

Stack Size calculation Wave XL



a = Stack depth 35cm
b = Stack size
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	73	78	83	88	93	98			

System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

System Dimensions

System Options

Wave Standard curtain heading system





Wave is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.

The Wave standard components are:

6345 Glider Cord 60mm
6346 Glider Cord 80mm
6007 End stop

The items listed below are all supplied at an additional cost as per the price list.

Wave hardware components for Enhanced Wave **(80mm glider cord only)** are:

2255 Adjustable brake
6364 Extension (used with 6365)
6365 Hanger (used with 6364)
6366 Carrier for draw rod

Roller Gliders must be ordered separately
6098W Wave roller glider 80mm

Optional enhanced components to improve the presentation of the curtain:

3582 Hook
6349 Curtain tape
6363 Iron-on top hemming tape
10075 Lead weight for hem of curtain 50gr/m
10076 Fabric weight for side edge of curtain

Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.


2216

6007


6349


6363


6391


6392

6393


6395

6398


6399

2255

The Wave XL components are:

2216 Cord 0.85 mm
2255 Adjustable brake
6007 End stop
6349 Curtain tape
6363 Iron tape
6382 Limit stop
6391 Hanger
6392 Heading film
6393 Glider
6394 Carrier
6395 Extension
6398 Clip
6399 Carrier for draw rod

Fitting Information

3840W

Bracket and profile Positioning



These fixing distances are a guide only, they may vary in practice depending on surface and curtain weight.

Handling of fixing clamp 3825



Higher edge of profile to the roomside.
Clamp arm to the window.

Handling of fixing bracket 3832



Higher edge of profile to the roomside.

Fitting Options

Ceiling fix with clamp 3825





3825
Clamp (35mm)

Min. distance from wall when using Wave XL: 220mm.

Ceiling fix with bracket 3832





3832
Twist clamp

Min. distance from wall when using Wave XL: 220mm.

Ceiling fix with bracket 3826





3826
Top fix bracket

Min. distance from wall when using Wave XL: 220mm.

Wall fitting with Smart Fix 11200-11205 and bracket 3826



	x (mm)
11200	52
11201	72
11202	92
11203	112
11204	142
11205	192



11200-05
Smart Fix (60-200 mm)



3826
Top fix bracket

Brackets feature thread for screw SG10492 (M4x8) for fixing bracket SG3826

3840W

Wall fitting with Square Smart Fix 11210-15 and bracket 3826



	x (mm)
11210	52
11211	72
11212	92
11213	112
11214	142
11215	192



11210-15
Square Smart Fix
(60-200 mm)



3826
Top fix bracket

Brackets feature thread for screw SG10492 (M4x8) for fixing bracket SG3826

Wall fitting with Universal Smart Fix 11154-56 and bracket 3826



	X (mm)
11154	102-130
11155	132-160
11156	182-210



11154-56
Universal Smart Fix
(120-200 mm)



3826
Top fix bracket

Brackets feature thread for screw SG10492 (M4x8) for fixing bracket SG3826

Wall fix with bracket 3836





3836
Bracket (62mm)

3840W

Standard Accessories

3825	Clamp (35mm)		3841	Profile	
3842	End cover		6064	Screw twist endstop	
6083	Glider		6283	Roller glider	
6345	Wave glider cord (60mm)		6346	Wave glider cord (80mm)	
1148C	Countersunk screw		6098W	Wave roller glider cord (80mm)	

Optional Accessories

2216	Cord	
3832	Twist clamp	
6007	Endstop	
6382	Limit stop	
11154	Universal Smart Fix, 120 mm set	
11156	Universal Smart Fix, 200 mm set	
11201	Smart Fix, 80 mm set	
11203	Smart Fix, 120 mm set	
11205	Smart Fix, 200 mm set	
11211	Square Smart Fix, 80 mm set	
11213	Square Smart Fix, 120 mm set	
11215	Square Smart Fix, 200 mm set	

3826	Top fix bracket	
3836	Bracket (62mm)	
6349	Wave curtain heading tape	
6394	Carrier	
11155	Universal Smart Fix, 150 mm set	
11200	Smart Fix, 60 mm set	
11202	Smart Fix, 100 mm set	
11204	Smart Fix, 150 mm set	
11210	Square Smart Fix, 60 mm set	
11212	Square Smart Fix, 100 mm set	
11214	Square Smart Fix, 150 mm set	

3840W

Sewing and Wave Accessories

2216	Cord	
3582	Hook	
6345	Wave glider cord (60mm)	
6349	Curtain tape	
6364	Extension	

2255	Adjustable brake	
6007	Endstop	
6346	Wave glider cord (80mm)	
6363	Top hemming tape	
6365	Hanger	

6366	Wave carrier for draw rod	
6391	Hanger	
6392	Heading film	
6393	Glider	
6395	Extension	
6398	Clip	
6399	Carrier for Draw rod	
10075	Lead weight 50 gr/m	
10076	Fabric weight	
6098W	Wave roller glider cord (80mm)	

3840W