


Hand Operated Curtain Track System

Silent Gliss® 6243



Product Information

- Single channel curtain track for medium to heavy weight contract applications.
- Thin and bendable recess profile with 5.4mm gliding channel.
- Minimum bending radius 25cm.
- Punched every 200mm.
- Supplied in white as standard.
- Standard profile length is 6m (connecting bridge available for longer lengths).
- Can be bent.
- Available with Wave and Wave XL curtain heading systems.




6243

www.shadingspecialists.co.uk

Shading Specialists
Unit 23
Orbital 25
Dwight Road
Watford
WD18 9DA
020 8421 6605

info@shadingspecialists.co.uk

Profile and Bending Information



Min. radius 25cm

6243

Specification Guide

Silent Gliss 6243 curtain track, hand-drawn, anodised aluminium, complete with gliders 6096 at 16/m. 1 end stop 6065 and 1 spring stop 6053 per length. Top fixed with pre-drilled holes every 400mm.


Fitting Information

Fixing points



The fixing distances are meant as a guide only: they may vary in practice depending on surface and curtain weight.

Stack Depth Wave Standard



a = Stack depth
b = Stack size
c = Min. distance

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
6	10	2.1	10	23 per metre of track + endpiece	8
6	12	2.3	12	23 per metre of track + endpiece	9
8	14	2.1	14	18 per metre of track + endpiece	10
8	16	2.3	16	18 per metre of track + endpiece	11


Wave standard with roller gliders

Glider-cord spacing	Curtain hook spacing	Approx. curtain fullness	Stack depth (a)	Stack width (b)	Min distance (c)
8	14	2.1	14	21 per metre of track + endpiece	10
8	16	2.3	16	21 per metre of track + endpiece	11

(dimensions in cm)

Note: Minimum distance (c) includes a standard 3cm clearance (front and back).

Stack size calculation Wave XL




a = Stack depth 35cm
b = Stack size
c = Min. distance 22cm

System width		77-107	108-143	144-179	180-215	216-251	252-287	288-323	324-359	360-395
	b	28	33	38	43	48	53	58	63	68
System width		396-431	432-468	469-503	504-539	540-575	576-600			
	b	73	78	83	88	93	98			
System width		154-217	218-289	290-361	362-433	434-505	506-577	578-600		
	b	28	33	38	43	48	53	58		

(dimensions in cm)

System Options

Wave Standard curtain heading system



Wave is an exciting new contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

When using the Wave curtain heading system please note that the maximum recommended curtain weight is 2.5kg/m or 10kg/m with wave roller glider 6098W.

The Wave Standard components are:

6345 Glider-cord 60mm
6346 Glider-cord 80mm
6007 End stop

The items listed below are all supplied at an additional cost as per the price list:


Wave hardware components for Enhanced Wave (80mm glider cord only) are:

2255 Adjustable brake
6364 Extension (used with 6365)
6365 Hanger (used with 6364)
6366 Carrier for draw rod

Roller gliders 6098W must be ordered separately:


Optional enhanced components to improve the presentation of the curtain:

3582 Hook
6349 Wave curtain tape
6363 Iron on top hemming tape
10075 Lead weight for hem of curtain 50 gr/m
10076 Fabric weight for side edge of curtain




6243

Wave XL curtain heading system



Wave XL is especially designed for high and large application areas through generously designed waves with large cross section dimensions.




The Wave XL components are:

- 2216 Cord 0.85 mm
- 2255 Adjustable brake
- 6007 End stop
- 6349 Curtain tape
- 6363 Iron tape
- 6382 Limit stop
- 6391 Hanger
- 6392 Heading film
- 6393 Glider
- 6394 Carrier
- 6395 Extension
- 6398 Clip
- 6399 Carrier for draw rod

Fitting Options

CAD download through Silent Gliss e-catalogue

Recess ceiling fix



The final distances from the wall depend on curtain weight, make-up and any obstructions. The profile is pre-drilled every 200mm.



6243

Standard Accessories

0240 Screw

6065 Twist eye endstop



6243 Profile



6053 Spring stop

6096 Glider 6083 in strip form

7002 Profile protector



Optional Accessories

2255 Adjustable brake

3582 Hook


6083 Glider



3067 Connecting bridge

6057 Hook

6086 Spring stop



6096	Glider 6083 in strip form		6345	Wave glider cord (60mm)	
6346	Wave glider cord (80mm)		6349	Curtain tape	
6363	Top hemming tape		6364	Extension	
6365	Hanger		6366	Wave carrier for draw rod	
6391	Hanger		6392	Heading film	
6393	Glider		6395	Extension	
6398	Clip		6399	Carrier for Draw rod	
10075	Lead weight 50 gr/m		10076	Fabric weight	
6098W	Wave roller glider cord (80mm)				

